

## Mercedes Benz Atego 1317 A 4X4

Model:	Mercedes-Benz Atego
Vehicle type:	1317 A
Drivetrain:	4X4
Baumuster:	97036312
Vehicle type:	All-wheel chassis
Driver cabin:	S-Cab
Engine power:	125 kW (170 PS)
Wheelbase:	3560 mm
Gross vehicle weight: - kg	
Steering type:	left

# Equipmentlist

#### **Paint**

|--|

## Equipment

#### Axle load distribution

TC3 Weight variant 13.1 t (5.45/7.7)

#### Engine

MN3 Engine,4-cyl. in-line,LA,125kW (1/0hp),2300rpm
MS0 Engine version, Euro II
MB1 Exhaust brake, with constantly-open throttle valve
MJ6 Engine, start/stop system

>>> refitting: Fuel pre-filter, water separator

#### Clutch & transmission

GC5 Transmission G 60-6/9.2-1.0				
GV5 Transfer case VG550 - 3W				
CG1 C 1'C 1				

GS1 Gearshift, manual
NN2 PTO MB 60-2c, MPA, low-position, low-speed

### Axles & suspension

AK6 Front axle 6.1 t

A70 Differential lock, front axle

AHT Rear axle H4, 7.7 t, crown wheel 368 A71 Differential lock, rear axle AF8 Axle ratio i = 4.875 (H4/H5) KQD8 Front springs 6.1t, parabolic QE0 Rear spring, 8.1 t, parabolic >>> Stabilizer front axle C42 Stabiliser, rear axle, under frame  Wheels & tyres RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end,reinforced,for special attachments CL9 Steering LS 6/LS 8 R83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguards, rear P98 Deletion, mudguards, rear P99 Deletion, mudguards, rear P99 Deletion, mudguards, rear P99 Deletion, mudguards, rear P99 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Dual-circuit full air brakes >>> Load sensing brake system   >>> Automatic brake adjusting   BB6 Drum brakes on front and rear axle   B02 Anti-lock braking system (ABS)   >>> Compressed-air drier (single-chamber system)   B43 Brake connection, 2-line, behind cab   Cab exterior   F07 S cab   F1.3 Cab mountings, rear, reinforced   F1.4 Cab mountings, rear, reinforced   F1.5 Cab rear wall without window   D25 Roof hatch/vent, roof   >>> Cab steps, movable		D 1 114 7.7.					
AF8 Axle ratio i = 4.875 (H4/H5) KQD8 Front springs 6,1t, parabolic QED Rear spring, 8.1 t, parabolic >>> Stabilizer front axle C42 Stabiliser, rear axle, under frame  Wheels & tyres RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end,reinforced,for special attachments C1.9 Steering L5 6/L5 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K41 Sarcen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, protection device, side C96 Deletion, protection device, side C97 Deletion, protection device, side C98 Deletion, protection device, side C99 Deletion, protection device, side C90 Anti-lock braking system (ABS) C90 Compressed-air drier (single-chamber system) C90 Brake system C90 Anti-lock braking system (ABS) C90 Anti-lock braking system (ABS)							
KQD8 Front springs 6, It, parabolic QE0 Rear spring, 8, 1 t, parabolic >>> Stabilizer front axle C42 Stabiliser, rear axle, under frame  Wheels & tyres RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R64 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end.reinforced,for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck K11 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab F13 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		· · · · · · · · · · · · · · · · · · ·					
QEO Rear spring, 8.1 t, parabolic  >>> Stabilizer front axle C42 Stabilizer, rear axle, under frame  Wheels & tyres RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end.reinforced.for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck K41 Main silencer, right, side, on frame P97 Deletion, mudguard stays, rear CC9 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) (992 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes >>> Load sensing brake system  >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle BB02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab F1.3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter  >>> Cab erar wall without window D25 Roof hatch/vent, roof		, ,					
>>> Stabilizer front axle C42 Stabiliser, rear axle, under frame  Wheels & tyres RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end, reinforced, for special attachments CL9 Steering L5 6/L5 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K41 Sarcen, tank filler neck K11 Main silencer, right, side, on frame P97 Deletion, mudguards, rear C99 Deletion, mudguard stays, rear CC9 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Dual-circuit full air brakes system B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
C42 Stabiliser, rear axle, under frame  Wheels & tyres  RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional  R04 Wheel nut cap R87 Spare wheel/spare wheel rim  1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  2.A. R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end,reinforced,for special attachments  C19 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck K11 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguards stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) G92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes >>> Load sensing brake system  >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab F13 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		· · ·					
Wheels & tyres  RC9 Wheel rims 10.00 W-20, for single tyres  R60 Spare wheel carrier, provisional  R04 Wheel nut cap  R87 Spare wheel/spare wheel rim  1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS  (SCHLAUCHLOS)  2.A. R02156 10 1x 365/85 R 20 Cross country Continental HCS  (SCHLAUCHLOS)  R02156 10 1x 365/85 R 20 Cross country Continental HCS  (SCHLAUCHLOS)  R02156 10 1x 365/85 R 20 Cross country Continental HCS  (SCHLAUCHLOS)  Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 I, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  K41 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguards, rear  P98 Deletion, protection device, side  C95 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  F1.3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D025 Roof hatch/vent, roof							
RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02156 10 12x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end.reinforced,for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K41 Main silencer, right, side, on frame P97 Deletion, mudguards, rear CC9 Deletion, mudguard stays, rear CC9 Deletion, mudguard stays, rear CC9 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Dual-circuit full air brakes   Dual-circuit full air brakes	<u>C42</u>	Stabiliser, rear axle, under frame					
RC9 Wheel rims 10.00 W-20, for single tyres R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02156 10 12x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end.reinforced,for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K41 Main silencer, right, side, on frame P97 Deletion, mudguards, rear CC9 Deletion, mudguard stays, rear CC9 Deletion, mudguard stays, rear CC9 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Dual-circuit full air brakes   Dual-circuit full air brakes	Wheels	& tyres					
R60 Spare wheel carrier, provisional R04 Wheel nut cap R87 Spare wheel/spare wheel rim 1.A. R02156 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) 2.A. R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS) R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end,reinforced,for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 1, plastic K40 Tank-cap lock K45 Screen, tank filler neck K11 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguards, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Dual-circuit full air brakes		· · · · · · · · · · · · · · · · · · ·					
R84 Spare wheel/spare wheel rim  1.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  2.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 1, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  BB6 Drum brakes on front and rear axle  BO2 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  FO7 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
R87 Spare wheel/spare wheel rim  I.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  2.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 I, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof		1					
1.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  2.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 l, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  CC9 Deletion, mudguard stays, rear  CC9 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filler  >>> Cab rear wall without window  D25 Roof hatch/vent, roof		±					
(SCHLAUCHLOS)  2.A. R02J56 10 2x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 l, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filler  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
(SCHLAUCHLOS)  R02156 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 l, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without window  D25 Roof hatch/vent, roof							
R02J56 10 1x 365/85 R 20 Cross country Continental HCS (SCHLAUCHLOS)  Frame and components attached to frame CR5 Frame front end,reinforced,for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without window D25 Roof hatch/vent, roof	2.A.	R02J56 10 2x 365/85 R 20 Cross country Continental HCS					
Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 l, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
Frame and components attached to frame  CR5 Frame front end,reinforced,for special attachments  CL9 Steering LS 6/LS 8  K83 Main tank, 125 l, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
CR5 Frame front end,reinforced,for special attachments CL9 Steering LS 6/LS 8 K83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
CL9 Steering LS 6/LS 8  K83 Main tank, 125 l, plastic  K40 Tank-cap lock  K45 Screen, tank filler neck  KJ1 Main silencer, right, side, on frame  P97 Deletion, mudguards, rear  P98 Deletion, mudguard stays, rear  CC9 Deletion, protection device, side  C95 Deletion, rear underride guard (EC)  Q92 Crossmember, for trailer coupling G 135  Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  F1.3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
K83 Main tank, 125 l, plastic K40 Tank-cap lock K45 Screen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
K40 Tank-cap lock K45 Screen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
K45 Screen, tank filler neck KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
KJ1 Main silencer, right, side, on frame P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		1					
P97 Deletion, mudguards, rear P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		· · · · · · · · · · · · · · · · · · ·					
P98 Deletion, mudguard stays, rear CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		<u> </u>					
CC9 Deletion, protection device, side C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
C95 Deletion, rear underride guard (EC) Q92 Crossmember, for trailer coupling G 135  Brake system >>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
Brake system  >>> Dual-circuit full air brakes  >>> Load sensing brake system  >>> Automatic brake adjusting  BB6 Drum brakes on front and rear axle  B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof							
>>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof	Q92	Crossmember, for trailer coupling G 135					
>>> Dual-circuit full air brakes >>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof	Brake sv	stem					
>>> Load sensing brake system >>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
>>> Automatic brake adjusting BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS) >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
BB6 Drum brakes on front and rear axle B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window D25 Roof hatch/vent, roof		<u> </u>					
B02 Anti-lock braking system (ABS)  >>> Compressed-air drier (single-chamber system)  B43 Brake connection, 2-line, behind cab  Cab exterior  F07 S cab  FL3 Cab mountings, rear, reinforced  F30 Hydraulic cab tilting mechanism  FC7 Windows, tinted, without sun filter  >>> Cab rear wall without window  D25 Roof hatch/vent, roof		<u>-</u>					
>>> Compressed-air drier (single-chamber system) B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
B43 Brake connection, 2-line, behind cab  Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
Cab exterior F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		<u> </u>					
F07 S cab FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
FL3 Cab mountings, rear, reinforced F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
F30 Hydraulic cab tilting mechanism FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof							
FC7 Windows, tinted, without sun filter >>> Cab rear wall without window D25 Roof hatch/vent, roof		<u> </u>					
>>> Cab rear wall without window D25 Roof hatch/vent, roof		<u> </u>					
D25 Roof hatch/vent, roof							
>>> Cab steps, movable							
	>>>	Cab steps, movable					

FS9	Mirror on driver's side, electrically adjustable
>>>	Wide-angle exterior mirror on front passenger side
>>>	Ramp mirror on co-driver's side
>>>	Electrically adjustable rear view mirror,
>>>	Wide angle mirror on driver's side, heated
	Front mirror, aerodynamic
	Sun visor, exterior, transparent
	Deletion, immobiliser (transponder)
	Additional keys or remote-control transmitter
-	v
Cab inter	rior
SG5	Driver's standard suspension seat, Isringhausen
S07	Co-driver's seat, static, Isringhausen
>>>	Steering column bracket adjustable
>>>	multi-function steering wheel
FN1	Distribution cockpit
	Additional socket, 12 V/15 A, firewall
	Inst. cluster, graphics-capable display, eco-meter
J10	Speedometer, km
>>>	Outside temperature gauge
JW0	Reversing warning device
	Driver Information System
	Antenna + kit for subsequent radio installation
	Automatic cutouts
HF1	Construction-site filter
H03	Air conditioning system
FQ7	Stowage facility above windscreen, 2 compartments
Electrics	/ electronics
E21	Battery/batteries, higher capacity
>>>	Battery cover
M45	Alternator 28 V/100 A
L72	Electrics, for non-MB body
EC6	Trailer socket, 15-pin
>>>	Headlamp range adjuster
>>>	Headlamp unit, H7, with clear-lens look
L30	Protective grilles, headlamps
>>>	6-part tail light cluster with reflector
	Side marker lights
MD4	Speed limiter, 90 km/h, EC
	al scopes
	Noise reduction measures, EC 96/20
_	First aid kit
Y16	Fire extinguisher
	Hazard warning triangle
Y45	Warning lamp
Y11	Jack
Y34	Tyre inflating hose, 10 m
	Powertrain warranty,Gen.Terms/Con.,3 yrs/250000 km
	•

XV8	Atego 2, New
X93	Deletion, model identification
X42	Labels/publications, English
X53	Publications, Arabic, additional
ZZ3	Vehicle, for right-side traffic